

# Pipes for the world – multi-functional, authentic, unique



## Domiciled in Westphalia. Valued throughout the world.

We love our location in the west of the beautiful Münsterland.


Ochtrup offers the best conditions for sustainable growth and smooth logistics.

Its proximity to the university town Münster provides us with highly educated and qualified staff.









## HEWING: the facts

#### Our company history

Foundation year 1974

Location Ochtrup

Areal 45,000 m<sup>2</sup>


Employees 200

Since the founding of Hewing GmbH in 1974 much has been achieved. The commissioning of the first cross-linking equipment in 1980 laid the foundation for our continuing success story. By introducing the multi layer pipe production ten years later we expanded our product range and improved our market position. In 1996 the second cross-linking line had been set into operation. As a result we extended our production capacities significantly during the following years. The production of 3 billion metres of pipes in 2015 marked a new milestone in the history of our company. Today HEWING is one of the most important international suppliers for PE-Xc pipes in the sanitary market.





#### Turnover distribution in different regions



# Lead by expert knowledge Our employees are essential

Our success is based on the excellent technical skills of our staff. We promote in-house training courses, on-site development teams and the profound education of our junior staff.

Our credo: Only those companies who have full confidence in their employees will be ahead of their competitors.







# HEWING thinks ahead Short distance production

### Everything cross-linked under one roof

Over an area of 45,000 m<sup>2</sup> our staff constantly produces PE-Xc pipes, high flexible PE-LLDXc pipes and aluminum multi layer pipes in various designs on fourteen production lines.

Two cross-linking lines, a modern high bay warehouse, a testing laboratory and an in-house training centre are located on our premises. Hence all production and service steps can be carried out all in one place.





## Perfect products Efficient logistics

### Smooth delivery

As one of the most important suppliers of the sanitary and heating industry we have high quality standards in the logistics management.

Starting from our modern production site in Ochtrup we directly ship our goods on the main routes, to overseas ports in Hamburg or Rotterdam or on European railway tracks.





## From PE to PE-Xc: Electronic beam cross-linking

HEWING PE-Xc pipes obtain their outstanding properties by a physical cross-linking process. The result of this production method is a pipe that is particularly temperature and pressure resistant as well as durable.


HEWING will not accept compromises when it comes to quality and durability. Prior to delivery every single metre of our pipes is checked carefully in our laboratory in order to withstand the highest strain levels over many years.



Outer diameter 8 to 32 mm

Wall thickness 1 to 4.4 mm suitable for drinking water, heating and cooling application

Standard pipe length up to 600 m available with conduit as well and/or insulation 4, 6, 9 and 13 mm WLG040





## MLC-multi layer pipes: Optimal compound

Outer diameter 11.6 to 63

Wall thickness
1.5 to 4.5
suitable for drinking, heating and cooling application

Standard pipe length Up to 600 m Available as well as bar and covered in

WLG040

conduit or insulation of 4, 6, 9 and 13 mm

PE-Xc, oder PE-RT

Haftvermittler

Aluminium

Haftvermittler


PE-X oder PE-RT

PE-Xc


## Product development Designed for you.

Our focus is on the development of new solutions for a range of applications. Our engineers, our customer service and our test laboratory are always developing new visionary products fulfilling the highest requirements in close partnership with our customers.





We stand for individual construction and customized manufacture. The degree of individualization can be chosen freely – material, layer construction, dimension, length, marking, colour, insulation – and even the way of packaging and visual appearance will be designed according to your wishes. We are looking forward to the challenge of providing you with a durable and reliable solution.



## Innovative products Sustainable quality

Our product range is based on the customer's requirements – innovative solutions are our speciality.







We provide our customers with individualized products for their unique system technique. Individually constructed and manufactured, our products conform to our clients' requirements.

- Individualization of various parameters
- O Tuning on customer specific system requirements
- O Strict adherence of all application requirements

## Our laboratory centre Focused knowledge

If extraordinary quality is provided it must be ensured. Our products are constantly checked by engineers and technicians in our in-house laboratory in order to ensure dimensional accuracy, material and endurance. At HEWING we operate reliably and with the proverbial German thoroughness.



#### Approval bodies

- A Austrian Standards
- D DVGW
- D SKZ
- D DIN GOST
- D DIN CERTCO
- DK ETA
- F CSTB
- **GB** WRAS
- NI Kiwa N.V.
- **SE** Swedcert
- IR iab
- NO SINTEF
- FI VTT
- NL KIWA/KOMO

### **(**

























KOMO®

#### **Testing Laboraties**

- A TGM Vienna
- D DBI
- D HLK Stuttgart
- D Hygieneinstitut Gelsenkirchen
- D IMA Dresden
- D MPA Darmstadt
- SKZ
- TZW
- DK DTI
- E Ceis
- F CSTB
- GB WRC NSF
- NI KIWA
- NI KIWA Water Research
- SE Exova



















**2**54 Inspected by DTI









KWR

EXOVO



Industriegebiet Ost 1 Waldstraße 3 48607 Ochtrup Germany

T +49 2553 70-01

F +49 2553 70-17

www.hewing.com info@hewing.com

Certified according to: DIN EN ISO 9001+14001+50001 Technical modifications reservered.

© Hewing GmbH 2016

Concept and Design: LANDA Designer uG, landadesigner.de

Picture credits:

- © David Lederer 2007 (S. 2)
- © 2015 Stihl024, photocase.com (S. 3)
- © Frank Springer Fotografie, frank-springer.de